

असाधारण

#### EXTRAORDINARY

भाग (1—खण्ड 3—उप-खण्ड (ii)
PART II—Section 3—Sub-section (ii)
प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

ਜ. 1086] No. 1086] नई दिल्ली, बृहस्पतिबार, जुलाई 31, 2008/आवण 9, 1930 NEW DELHI, THURSDAY, JULY 31, 2008/SRAVANA 9, 1930

### पोत परिवहन, सड़क परिवहन और राजमार्ग मंत्रालय

( सहक परिवहन और राजमार्ग विधान)

अधिसूचना

नई दिल्ली, 31 जुलाई, 2008

का.आ. 1899(अ).—केन्द्रीय सरकार, राष्ट्रीय राजमार्ग अधिनियम, 1956 (1956 का 48) (जिसे इसमें इसके पश्चात् उक्त अधिनियम कहा गया है) की धारा 3क की उप-धारा (1) द्वारा प्रवत्त शिक्तियों का प्रयोग करते हुए, यह समाधान हो जाने के पश्चात् कि तामलनाडु राज्य के करूर जिले में राष्ट्रीय राजमार्ग संख्या 67 के 203.400 कि.मी. से 218.00 कि.मी. तक के भूखण्ड (विची-करूर सेक्शन) का (बाईपासों सिंहत) निर्माण (चौड़ा करने/चार लेन का बनाने, आदि), अनुरक्षण, प्रबंध और प्रचालन के लोक प्रयोजन के लिए वह भूमि अपेक्षित है, जिसका सींक्षण वर्णन नीचे अनुसूची में दिया गया है, ऐसी भूमि का अर्जन करने के अपने आशय की घोषणा करती है;

कोई व्यक्ति, जो उक्त भूमि में हितबद्ध है, उक्त अधिनियम की धारा 3ग को उप-धारा (1) के अधीन पूर्वोक्त प्रयोजन के लिए ऐसी भूमि के उपयोग पर राजपत्र में इस अधिसूचना के प्रकाशन की तारीख से इक्कीस दिन के भीतर आक्षेप कर सकेगा:

ऐसा प्रत्येक आक्षेप सक्षम प्राधिकारी, अर्थात् राजस्व मण्डल अधिकारी, राजस्व मण्डल अधिकारी और उप मण्डल मिजिस्ट्रेट, करूर का कार्यालय, जिला करूर, तमिलनाडु को लिखित रूप में किया जाएगा और उसमें उसके आधार अधिकथित किए जाएंगे और सक्षम प्राधिकारी आक्षेपकर्ता को व्यक्तिगत रूप में या किसी विधि व्यवसायी द्वारा सुने जाने का अवसर देगा और ऐसे सभी आक्षेपों की सुनवाई करने के पश्चात् तथा ऐसी और जाँच करने के पश्चात्, यदि कोई हो, जिसे सक्षम प्राधिकारी आवश्यक समझे, आदेश द्वारा या तो आक्षेपों को अनुजात कर सकेगा या अनुजात कर सकेगा;

उथत अधिनियम की धारा 3ग की उप-धारा (2) के अधीन सक्षम प्राधिकारी द्वारा किया गया कोई आदेश अंतिम होगा:

इस अधिसूचना के अंतर्गत जाने वाली भूमि के भू-रेखांक और अन्य ब्यौरे सक्षम प्राधिकारी के उक्त कार्यालय में उपलब्ध हैं और उनका हितबद्ध व्यक्तियों द्वारा निरीक्षण किया जा सकता है ।

## अनुसूची

तमिलनाडु राज्य में राष्ट्रीय राजमार्ग संख्या 67 के 203.400 कि. मी से 218.000 कि. मी तक (बाईपासों सहित) त्रिची - करुर क्षेक्शन के लिए अर्जन की जाने वाली संरचना सहित अथवा संरचना रहित भूमि का सक्षिप्त विवरण ।

क्रम संख्या	जिले का नाम	तालुक का नाम	गाँव का नाम	सर्वेक्षण संख्या	भूमि का प्रकार	भूमि की प्रकृति	क्षेत्रफल (वर्ग मीटर में)
1	2	3	4	5	6	7	8
1	करुर	करूर	(1) आची भंगलम	5/1	निजी	शुष्क	2155
-				5 / 2.	निजी	शुष्क	4750
				5 / 3.	निजी	शुष्क	2020
_		-	5 / 4 बी	निजी	शुष्क	920	
	-			5/8	निजी	शुष्क	7105
				5 /11	सरकारी	पोरमबोके	250
- 7	e with a	v, +	1	6/4	निजी	शुष्क	400
				6 / 5ए	निजी	शुष्क	700
=				6/7	निजी	शुख्क	3000
				6 / 8	निजी	शुष्क	500
				6/10	सरकारी	पोरमबोक	1000
			-	58/3	निजी	যুক্ত	3550
=	-			69	सरकारी	पोरमबोक	400
		-	-	70 / 372	निजी	शुष्क	7090
-				70 / 4	निजी	शुष्क	8133
				70/5	निजी	शुष्क	916
			-	71	सरकारी	पोरमधोके	1200
-	-			75	सरकारी	पोरमबोके	1350
_				81/1	निजी	शुष्क	260
		1		81/2	নিৰ্জী	शुष्क	6150
	1 1.00	, T	-	83/1	निजी	शुष्क	405
	-	i		83/2	निजी	ুফা	5261
				2./3	निजी	ग्ष्क	3571
				83 /4	िजी	शुळ:	4426
				83/5	निजी	शुष्क	4123
				84	निजी	शुष्क	5166

1	2	3	4	5	6	7	8
				. 85/1	निजी	सुष्क	1238
		1		85/6	निजी	रुक	2244
.=1			-	85/7	निजी	शुष्क	850
				85/8	निजी	शुष्क	2200
=4			11	155/1	सरकारी	<b>भोरमबोक</b>	500
		J		252 / 1.	<u> </u>	शुष्क	600
				253 / 1.	निजी	शुष्क	2236
		Terrille		253 / 2.	निजी	शुष्क	704
				253 / 3.	निजी	रुक	402
				253 / 4.	निजी	शुष्क	1514
				253 / 5.	निजी	शुष्क	2236
	1			254	निजी	सुष्क	9954
			770	255	सरकारी	पोरमबोके	930
				257 / 5	निजी	शुष्क	200
				261	सरकारी	पोरमबोके	1035
>				262 / 2ए	निजी	शुष्क	1620
100		7 - 17		262 / 2वी	निजी	सुब्क	7789
		h		270 / 1	নিজী	शुष्क	9500
				270 / 2	निजी	शुष्क	400
				270 / 3	निजी	शुष्क	8600
				271 / 2	निजी	शुष्क	3500
- (*)	/		0-01-0-1	271 / 3 ए	निजी	शुष्क	4000
				271 / 3 बी	निजी	शुब्क	2800
				272 / 3	निजी	शुब्क	400
-				272 / 4	निजी	शुष्क	1618
				273 / 5ए	निजी	शुष्क	4500
				273 / 5बी	निजी	शुक्क	4300
				. 273 / 6.	নিজী	शुष्क	4600
*				274 / 1	निजी	शुष्क	221
545				275	सरकारी	पोरमबोक	10445
				281	निजी	शुष्क	15000
				282	सरकारी	पोरमबोके	2000
		1		283	सरकारी	पोरमकोक	1000

1	2	3	4	5	6	7	8
			(2) थंथोनी	793	<u> </u>	शुष्क	600
				794	নিজী	शुष्क	900
	4-16		Vw so week	807 / 10	निजी	शुष्क	30
			Maria de la Companya	807 / 12	निजी	शुंष्क	65
				847 / 2	निजी	शुष्क	200
				847 / 5	मिजी	शुष्क	200
				847 / 6	निजी	शुष्क	300
				848 / 2	निजी	शुष्क	1000
- distance of				848 / 3	निजी	शुष्क	1400
				848 / 4	निजी	शुष्क	5850
				848 / 6	निजी	शुष्क	2950
		*		848 / 7	निजी	शुष्क	2750
				848 / 8	নিজী	शुष्क	700
			0	850 / 1	निजी	शुष्क	250
		711-70		850 / 2	निजी	शुष्क	1500
				851 / 1	निजी	अंदर	400
				851 / 2	निजी	शिक्क	6200
				852 / 4	निजी	शुष्क	600
				852 / 6	निजी	शुष्क	600
				852 / 7	निजी	शुष्क	350
				852 / 8	পিত্ৰী	शुष्क	240
				870	सरकारी	पोरमबोक	1550
	1 11			872	सरकारी	पोरमबोके	3050
				878 / 5	निजी	शुष्क	200
	1		100,001-1-1170,0	878 / 6	निजी	शुष्क	50
			****	879 / बी2	निजी	शुष्क	1550
				879 / बी3	निजी	शुष्क	1950
				879 / बी4	নিজী	शुन्क	1500
				879 / बीड	निजी	शुष्क	1700
			A	879 / दी6	निजी	श्रीक	3500
				879 / सी7	निजी	शुष्क	2200
		-		881 / 1	निजी	शुष्क	7000
				882 / 1깃	निजी	शुष्क	9000

1	. 2	3	4	5	6	7	8
				882 / 1वी	निजी	शुष्क	1500
				883 / 1	निजी	शुष्क	2500
				883 / 6	निजी	श्रुक	1000
	-	J 1		894	सरकारी	पोरमबोके	1500
		<b>X</b> = 31		899 / 1	निजी	सुष्क	5550
				900	सरकारी	पोरमबोके	8500
				901	নিজী	शुष्क	6700
		if esti-		903	• सरकारी	·पोस्मबोके	1165
				904 / 2	<u> </u>	शुष्क	30
	Til		100.00	904 / 3	निजी	शुब्क	380
				904 / 4	निजी	शुक्क	720
				905 / 1	নিজী	शुष्क	3400
				913 / 1	निजी	शुक्क	1700
				913 / 2	ণিতী	शुष्क	900
				913 / 3	निजी	शुष्क	40
				913 / 4	निजी	शुष्क	1600
				913 / 5	निजी	शुष्क	800
		1		914	सरकारी	पोरमबोके	2400
				915	निजी	शुष्क	800
				916 / 1	निजी	शुष्क	2200
	-			916 / 2	निजी	शुष्क	500
				916 / 3	নিজী	शुष्क	600
				916 / 4	निजी	शुष्क	635
				916'/ 5	निजी	शुष्क	960
				916 / 6	निजी	शुष्क	1300
				917 / 2	निजी	शुष्क	1230
- 1				917 / 3	निजी	शुष्क	1030
	7			917 / 4	निजी	शुष्क	1060
				917 / 5	निजी	शुष्क	1400
				917 / 6	निष्पी	- शुष्क	1370
			*	919	पोरमबोक	पोरमवोक	10600
		T T		920	पोरमबोको	पौरमबोक	6050
			T	921	पोरमबोके	पोरमबोक	5050

2890 GI/08-2

1	2	3	4	5	6	7	8
				922	पोरमबोक	पोरमबोके	350
			(३) पुतियूर	1771	सरकारी	पोरमबोके	850
				1772 / 1	निजी	शुष्क	800
				1772 / 2	निजी	शुष्क	400
				1772 / 3	निजी	शुष्क	350
		1		1772 / 4	निजी	शुष्क	500
		Fact 11		1772 / 5	निजी	शुष्क	300
				1772 / 6	निजी	शुब्क	4400
	1.25			1772 / 7	निजी	शुष्क	1100
				1772 / 8	निजी	शुष्क	300
	Y NY			1775 / 1	निजी	<b>সু</b> জ্ক	550
				1775 / 2	निजी	शुष्क	4150
				1776 / ए1	निजी	शुष्क	2550
= 1				1776 / 42	निजी	शुष्कः	1900
				1778 / बी1	निजी	शुष्क	2650
	C			1778 / बी2	निजी	शुष्क	2200
				1778 / सी	निजी	शुष्क	2100
		0		1779	सरकारी	पोश्मबोक	560
				1780 / ए1	निजी	शुष्य	4500
-				1780 / 72	निजी	सुष्क	1550
_		*		1780 / बी1	निजी	शुष्क	1500
		1, 1, 1		1780 / बी2	<b>লি</b> জী	शुष्क	1700
				1780 / बी3	निजी	शुष्क	2950
				1784	सरकारी	पोरमबोक	850
		7 1		1785 / 1	निजी	शुष्क	200
		1	7-100 1115-11	1785 / 2	निजी	शुष्क	550
				1785 / 3	निजी	शुष्क	450
	(em 1)	M per		1785 / 4	निजी	शुष्क	650
				1785 / 5	নিজী	अक्टि	2000
		T.		1785 / 6	निजी	श्रीद:	15000
				1789 / 1	निजी	शुब्क	1650
				1789 / 2	निजी	शुष्क	400
				1789 / 3	निजी	शुष्क	2350

1	2	3	4	5	6	7	8
ŽŢ,				1769 / 4	निजी	शुष्क	. 1550
				1789 / 5	निजी	शुष्क	2000
		13.5 219		1791	सरकारी	पोरमबोक	2645
				1793 / बी	निजी	शुष्क	1030
			-	1799	পিতা	श्रेष्क	8500
			*	1800 / ৰী	নিজী	शुष्क.	4500
		0 a 10		1801 / 1	निजी	. शुष्क	1250
	133.41			1801 / 2	निजी	गुब्क	4000
				1803	निजी	शुष्क	3320
			10	1804 / 1	ণিজী	शुष्क	3200
				1804 / 2	निजी	शुष्क	2600
- 1				1605	सरकारी	पोरमबोको	1000
				1813 / Y	নিজী	शुष्क	2500
			-	1813 / वी1	सरकारी	पोरमबोक	1400
	- 2			1814	निजी	शुष्क	12560
				1816	নিজী	शुष्क	900
				- 1817	निजी	शुष्क	1540
			0.	1819	सरकारी	पोरमबोक	950
			4.	1831	निजी	शुष्क	7476
				1832	निजी	शुष्क	9732
				1833 / 11	निजी	शुष्क	5700
		-		1834 / 20	निजी	शुष्क	400

[फा. सं. भाराराष्ट्रा/बीओटी/11012/49/2005 (माग)] प्रभाकर, उप-सचिव

# MINISTRY OF SHIPPING, ROAD TRANSPORT AND HIGHWAYS (Department of Road Transport and Highways)

### NOTIFICATION

New Delhi, the 31st July, 2008

S.O. 1899(E).— In exercise of the powers conferred by sub-section (1) of section 3A of the National Highways, Act, 1956 (48 of 1956) (hereinafter referred to as the said Act), the Central Government, after being satisfied that for the public purpose, the land, the brief description of which is given in the Schedule below, is required for building (widening / four laning, etc.,) maintenance, management and operation of National Highway No.67 on the stretch of land from km 203.400 to km 218.00 (including Bypasses) (Trichy-Karur Section) in Karur District in the State of Tamil Nadu hereby declares its intention to acquire such land.

Any person interested in the said land may, within twenty – one days from the date of publication of this notification in the Official Gazette, object to the use of such land for the aforesaid purpose under sub-section (1) of section 3C of the said Act.

Every such objection shall be made to the competent authority, namely the Revenue Divisional Officer, office of the Revenue Divisional Officer and sub Divisional Magistrate, Karur, District, Karur Tamil Nadu, in writing, and shall set out the grounds thereof and the competent authority shall give the objector an opportunity of being heard, either in person or by a legal practitioner, and may, after bearing all such objections and after making such further enquiry, if any, as the competent authority thinks necessary, by order, either allow or disallow the objections.

Any order made, by the competent authority under sub-section (2) of section 3C of the said Act shall be final.

The land places and other details of the land covered under this perification are available and can be impercted by the interested person at the aforeraid office of the competent authority.

### SCHEDULE

Brief description of the land to be acquired, with or without structure, falling within the stretch of land from Km. 203.400 to Km. 218.000 (including bypasses) in Trichy - Karur Section of National Highway No.67 in the State of Tamil Nadu.

Serial number	Name of the district	Name of the taluk	Name of the village	Survey	Type of land	Nature of land	Area (in square meters)
1	2	3	4	5	8	7	B
_1	Karur	Karur	(1) Achi Mangalam	5/1	Private	Dry	2155
				5/2	Private	Dry	4750
	-			5/3	Private	Dry	2020
				5/4B	Private	Dry	920
				5/8	Private	Dry	7105
				5/11	Government	Poramboke	250
				6/4	Private	Dry	400
			7.0	8/5A	Private	Dry	700
				6/7	Private	Dry	3000
				6/8	Private	Dry	500
				6/10	Government	Poramboke	1000
-				58/3	Private	Dry	3550
				69	Government	Poramboke	400
				70 / 3A2	Private	Dry	7090
				70 / 4	Private	Dry	8133
100				70/5	Private	Dry	916
	-			71	Government	Poramboke	1200
				75	Government	Poramboke	1350
				81/1	Private	Dry	260
	,			81/2	Private	Diy	6150
$\overline{}$				83/1	Private	Dry	438
				83/2	Private	Dry	5261
				83/3	Private	Dry	3571
			· · · · · · · · · · · · · · · · · · ·	83/4	Private	Dry	4426
				83/5	Private	Dry	4123
				84	Private	Dry	5166

1	2	3	4	5	6	7	8
				85/1	Private	Dry	1238
7 10				85/6	Private	Dry	2244
				85/7	Private	Dry	850
_				85 / 6	Private	Dry	2200
			-	155/1	Government	Poramboke	500
				252 / 1	Private	Dry	600
				253 / 1	Private	Dry	2236
				253 / 2	Private	Dry	704
	-			253/3	Private	Dry	402
				253 / 4	Private	Dry	1514
17				253 / 5	Private	Dry	2236
				254	Private	Dry	9954
				255	Government	Poramboke	930
_				257/5	Private	Dry	200
-				261	Government	Poramboke	1035
-				262 / 2A	Private	Dry	1620
				262 / 2B	Private	Dry	7789
		-		270/1	Private	Dry	9500
				270/2	Private	Dry	400
				270/3	Private	Dry	8600
				271/2	Private	Dry	3500
		-	,	271/3A	Private	Dry	4000
	_			271/3B	Private	Dry	2800
				272 / 3	Private	Dry	400
	-			272/4	Private	Dry	1618
		-		273 / 5A	Private	Dry	4500
	-		****	273 / 5B	Private	Dry	4300
				273/6	Private	Dry	4600
				274/1	Private	Dry	221
			<b> </b>	275	Government	Poramboke	10445
			-	281	Private	Dry	15000
	C.			282	Government	1 Y 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2000
	·			283	Government	Poramboke	1000
-			(2) Thanthoni	793	Private	Dry	. 600

1	2	3	4	5	6	7	8
				794	Private	Dry	900
				807 / 10	Private	Dry	30
				807 / 12	Private	Dry	65
				847/2	Private	Dry	200
	100			847/5	Private	Dry	200
				847/6	Private	Dry	300
71				848/2	Private	Dry	1000
				.848/3	Private	Dry	1400
				848 / 4	Private '	Dry	5850
			We want	848 / 6	Private	Dry	2950
				848 / 7	Private	Dry	2750
				848 / 8	Private	Dry	700
- 25				850 / 1	Private	Dry	250
				850/2	Private	Dry	1500
				851 / 1	Private	Dry	400
			*	851/2	Private	Dry	6200
-				852 / 4	Private	Dry	600
-17				852/6	Private	Dry	600
is .				852 / 7	Private	Dry	350
		1287		852/8	Private	Dry	240
			- 1	870	Government	Poramboke	1560
3.74				872	Government	Poramboke	3050
		1-5-1		878/5	Private	Dry	200
			*****	878 / 6	Private	Dry	50
				879 / B2	Private	Dry	1550
				879 / B3	Private	Dry	1960
				879 / 84	Private	Dry	1500
				879 / B5	Private	Dry	1700
		2875		879 / B8	Privale	Dry	3500
			9	879 / B7	Private	Dry	2200
	- 9			881/1	Private .	Dry	7000
				882 / 1A	Private	Dry	9000
	= (			882 / 1B	Private	Dry	1500
				883 / 1	Private	Dry	2500

2890 GI/08-4

1	2	3	4	5	6	7	8
				883/6	Private	Dry	1000
				894	Government	Poramboke	1500
				899 / 1	Privat <del>e</del>	Dry	5550
				900	Government	Poramboke	8500
				901	Private	Dry	6700
Ť				903	Government	Poramboke	1165
-			1,000,000	904/2	Private	Dry	30
= = 3				904/3	Private	Dry	380
				904/4	Private	Dry	720
	_			905/1	Private	Dry	3400
				913/1	Private	Dry	1700
				913/2	Private	Dry	900
				913/3	Private	Dry	40
				913 / 4	Private	Dry	1600
				913/5	Private	Dry	800
-				914	Government	Poramboke	2400
-				915	Private	Dry	800
-			10.300	916/1	Private	Dry	2200
				916/2	Private	Dry	500
				916/3	Private	Dry	600
			Hamilton	916/4	Private	Dry	635
			0.41.18.4	916/5	Private	Dry	960
- 1	-			916/6	Private	Dry	1300
				917/2	Private	Dry	1230
				917/3	Private	Dry	1030
			- Dete	917/4	Private	Dry	1060
				917/5	Private	Dry	1400
	-			917/6	Private	Dry	1370
-		7	Data Alexander	919	Poramboke	Poramboke	10600
	-			920	Poramboke	Poramboke	6050
-				921	Poramboke	Poramboke	5050
			*	922	Poramboke	Pulamboke	350
			(3) Puliyur	1771	Government	Prombcke	850
	-		7 7 7 7 7 7 7 7 7	1772/1	Private	Dry	800

1	2	3	4	6	6	7	8
				1772/2	Private	Dry	400
				1772/3	Private	Dry	350
				1772/4	Private	Dry	500
				1772 / 5	Private	Dry	300
				1772/8	Private	Dry	4400
				1772 / 7	Private	Dry	1100
				1772/8	Private	Dry	300
****				1775/1	Private .	Dry	550
				1775/2	Private	Dry	4150
				1776 / A1	Private	Dry	2550
				1776 / A2	Private	Dry	1900
				1778 / B1	Private	Dry	2650
	-			1778 / B2	Private	Dry	2200
				1778/C	Private	Dry	2100
				1779	Government	Promboke	560
				1780 / A1	Private	Dry	4500
1			-	1780 / A2	Private	Dry	1550
				1780 / B1	Private	Dry	1500
			10-1-1-1-1	1780 / B2	Private	Dry	1700
				1780 / B3	Private	Dry	2950
			-	1784	Government	Promboke	850
				1785 / 1	Private	Dry	200
				1785/2	Private	Dry	550
- 11		1		1785/3	Private	Dry	450
				1785 / 4	Private	Dry	650
			_	1785/5	Private	Dry	2000
				1785 / 6	Private	Dry	15000
				1789 / 1	Private	Dry	1650
			, in a sec	1789 / 2	Private	Dry	400
- 1			130	1789 / 3	Private	Dry	2350
				1789 / 4	Private	Dry	1550
			(1.5)	1789 / 5	Private	Dry	2000
		1		1791	Government	Promboke	2045
-	<del></del>		I - more	1793 / B	Private	Dry	1030

1	2	3	4	5	6	7	8
		2   1		1799	Private	Dry	8500
=0			V3.10/A	1800 / B	Private	Dry	4500
			Ma	1801/1	Private	Dry	1250
			_	1801/2	Private	Dry	4000
-				1803	Private	Dry	3320
				1804 / 1	Private	Dry	3200
				1804 / 2	Private	Dry	2600
			_	1805	Government	Promboke	1000
			_	1813 / A	Private	Dry	2500
-				1813 / B1	Government	Promboke	1400
	10000 Lake 177			1814	Private	Dry	12560
				1818	Private	Dry	900
				1817	Private	Dry	1540
				1819	Government	Promboke	950
				1831	Private	Dry	7476
			-	1832	Private	Dry	9732
			-1,18	1833 / 11	Private	Dry	5700
				1834 / 20	Private	Dry	400
	2772						

[F. No. NHAPBOT/11012/49/2005 (Part)] PRABHAKAR, Dy. Secy.